


Yealink's IP series offers a comprehensive line of affordable IP phones at compelling price points that meet the needs of enterprise, SMB and home applications. With innovative design based on the SIP Open Standard, superb video and audio quality, comprehensive telephone features and strong interoperability with other popular VoIP products, Yealink IP phones will dramatically improve your experience of IP communications.





VP-2009

### IP Video Phone

- TI DaVinci chipset, 300K CMOS Sensor Camera
- 7-inch 800x480 digital LCD, Touch screen
- H.264 and H.263 Video Codec, A/V out
- Headset, PoE, 2x LAN, 1x USB port, 1x SD slot
- Voice Codexs: G.722, G.711, G.729AB, G.726, G.723.1
- Full-duplex speakerphone with enhanced AEC
- Icon driven GUI and Color Ring/Image support
- Online Advertisement when idle/ring back/talking status
- SIPS/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP
- TR069, FTP/TFTP/HTTP, PnP Auto-provision



SIP-T28P

### Executive IP Phone

- TI TITAN chipset and TI voice engine
- 320x160 graphic LCD with 4-level grayscales
- 6 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 48 keys including 16 programmable keys
- BLA/BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Expansion module



SIP-T26P

### Advanced IP Phone

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 45 keys including 13 programmable keys
- BLA/BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Expansion module



SIP-T22P

### Professional IP Phone

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 32 keys including 4 soft keys
- BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Wall-mounted



SIP-T20P

### Entry Level IP Phone

- TI TITAN chipset and TI voice engine
- 3-line LCD(2 x 15 characters and an icon line)
- 2 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 31 keys including 9 function keys
- Voicemail, Call pickup, Intercom/Paging
- Call completion, Call recording
- Localized language, Phonebook
- FTP/TFTP/HTTP, PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Wall-mounted



SIP-T18P

### Simply IP Phone

- TI TITAN chipset and TI voice engine
- 20 keys including 2 programmable keys
- Voicemail, Call transfer, 3-way conferencing
- Integrated voice response (IVR) system
- Voice codec: G.722, G.711µ/A, G.726, G.729AB, G.723.1
- Auto provision via TFTP/FTP/HTTP/PnP
- Volume control, Ringtone selection, Distinctive ringtone
- 1xRJ45, 1xdual-color LED, Phone label
- Power over Ethernet (PoE): IEEE 802.3af class 1
- Desktop with footstand (detachable), Wall-mountable



EXP38

EXP39

### EXP38 Expansion Module

- 38 programmable keys each with a dual-color LED
- Daisy-chain 6 modules for 228 programmable keys
- Dual color (red or green) LEDs for line status information
- Supports Busy Lamp Field(BLF), Bridge Line Appearance(BLA)
- Programmable for speed dialing, call pickup, Intercom, hold, transfer, voicemail, forward, DND...
- Applies to Yealink IP Phone SIP-T28P and SIP-T26P

### EXP39 Expansion Module

- Rich visual experience with 160x320 pixel graphic LCD
- Daisy-chain 6 EXP39's for 228 programmable keys
- Dual color LEDs for Line status information
- Supports Busy Lamp Field & Bridge Line Appearance
- Support for all call features as per EXP38
- For Yealink IP Phone models SIP-T28P & SIP-T26P



YHS32

### Yealink Headset

- Ultra noise cancelling microphone, superb sound quality
- Quick disconnection cord , 1x RJ9 headset jack
- Ultra light weight 50g, comfortable wearing for all day use
- 330° rotatable microphone boom
- Strong design, the life of boom rolling even to 30,000 times
- Over-the-head style, can be used with right or left ear
- Pliable steel headband, large size ear pad and padded T-bar
- ActiveProtection™ safeguards the user from acoustic burst
- Accessories: leatherette ear cushion, foam ear cushion, adjustable clothing clip, headset hanger

## Table of Yealink Enterprise HD IP Phones

Description	SIP-T28P	SIP-T26P	SIP-T22P	SIP-T20P	SIP-T18P
Chipset	TI TITAN	TI TITAN	TI TITAN	TI TITAN	TI TITAN
LCD	320x160 graphic	132x64 graphic	132x64 graphic	2x15 characters	—
Programmable Keys	16	13	3	2	2
User Accounts	6	3	3	2	1
HD Voice	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec — —
Wideband Codec	G.722	G.722	G.722	G.722	G.722
Narrowband Codec	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB
Speakerphone	Full-duplex	Full-duplex	Full-duplex	Full-duplex	—
Broadsoft Validated	√	√	√	√	√
3-way conferencing	√	√	√	√	√
BLF/BLA	√	√	BLF	—	—
Intercom/Paging	√	√	√	√	—
Call Completion	√	√	√	√	—
Call Recording	√	√	√	√	—
XML Screen/Browser	√	√	√	—	—
XML Phonebook	√	√	√	—	—
Hot-desking	√	√	√	—	—
OpenVPN	√	√	—	—	—
SRTP/TLS/HTTPS	√	√	√	√	—
802.1x	√	√	√	√	—
Auto Provision	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/PnP
Expansion Module	√	√	—	—	—
Wall Mounted	—	—	√	√	√
PoE/Headset	√	√	√	√	PoE

## How to configure Yealink phones with IP-PBX

[Http://www.yealink.com/en/solution/IPphone.asp](http://www.yealink.com/en/solution/IPphone.asp)

