

MAXHUB UC M30

A COLLABORATION EXPERIENCE THAT'S 180° FROM ORDINARY


4K 180° Panoramic Camera

The MAXHUB UC M30 revolutionizes video conferencing with a panoramic 180° field of view, combined with auto tracking and five video layouts to suit every meeting type from small-group to full-room presentations.

110° FoV



180° FoV



180° panoramic technology, see the big picture

180° Field of view

> Even in the smallest room. Make the most of your limited space with full-picture immersive technology that captures every participant from far-to-the-left to all-the-way-right.



Amazing 4K UHD clarity, now you've seen it all

Triple 12MP cameras | 4K UHD resolution

> Get ready for a dramatic leap forward in image quality. Thanks to advanced optics and breakthrough technology, the UC M30 delivers vividly superior video conferencing.







You gotta see it to believe it. The UC M30 offers layout options to suit every communication scenario from one-way lecturing to multi-party brainstorming. Compose Mode Manual Mode Body-Fit Mode Grid mode Presentation mode Speaker mode

Six video layouts, all at your fingertips

Six Display Modes









2 Manual Mode

Zoom into a specific area anywhere in the room.



3 Body-fit mode

Focus on all the participants



Six Display Modes





See closeups of 4 key participants simultaneously, each in their own quadrant.



5 Presentation mode

Focus on the whiteboard and the active presenter at the same time.



6 Speaker mode



See the whole meeting room while focusing on all the participants simultaneously.

Auto-track, follow the conversation

Auto tracking technology

Collaborate naturally. The UC M30 not only recognizes and zooms in on meeting participants, it can track speakers as they move about the room.





• Auto-track the change of attendee numbers










Get up and running. Fast

Integrated Type-C & USB connection

- · Connects to your Bluetooth speaker without an external USB hub
- \cdot Plug-and-play setup and operation; integrating with your existing central control system.







Accommodates every platform from A to Zoom

Works with your conferencing software. Start from what you are currently using. The US M30 performs beautifully with the world's most popular UC platforms.

Specification

Camera	
Effective Pixel	12 MP
Video System	H.264/MJ (30fps): (1)3840*2160; (2)2560*1440; (3)1920*1080; (4)1280*720; (5)1024*576; (6)960*540; (7) &0*600; (8)640*480; (9)640*360; (10)480*270; (11)352*288; (12)320*240; YUV2 (30fps): (1)640*480; (2)640*360; (3)480*270; (4) 352*288; (5)320*240
Encode Format	MJPG, H.264, YUY2
Focus	Fixed
Depth of Field (DOF)	0.5~5m
Maximum Field of View (FoV)	180
Microphone	
Quantity	2 Arrays
Pick-up Distance	0~4m°
I/O Port	
USB Type-C	1
USB Type-A	1
Physical Specification	
Dimensions	144.1x73x25.7 mm
Package Dimensions	TBD
Net Weight	TBD
Gross Weight	TBD
Accessories	
USB Cable	1
User Manual	1
Environment	
Operating Environment	0°C~40°C
Humidity	10%~90%RH
Storage Temperature	-20°C~60°C
Storage Humidity	10%~90%
Altitude	Below 5000 meters









